Fabric Softeners

| ITEM | DESCRIPTION |
|---------------------|---|
| BASE 150 | Slightly cationic softener for natural, synthetic, and cellulosic fibers |
| BASE 94 | Non-ionic softener in flakes for all types of fibers |
| BASE LW | Slightly cationic general-purpose softener in flakes |
| BASE PSF 2015 | Hydrophilic concentrated softener, particularly suitable for cellulosic and animal fibers |
| BASE PSF/GL | Hydrophilic concentrated softener, particularly suitable for cellulosic and animal fibers |
| BIBIFLEX HY | Micro-macro silicone emulsion with hydrophilic amino functionality |
| BIBISOFT 150/20 | General-purpose softener suitable for all types of fibers |
| BIBISOFT 50 | Polyethylene glycol ether dispersion, suitable for post-dyeing treatment on cellulosic, synthetic, and blended fibers |
| BIBISOFT 517 | Non-ionic softener for natural, synthetic, and blended fibers |
| BIBISOFT AC-MS | High-quality softener with antistatic properties for all types of fibers |
| BIBISOFT ACR | General-purpose softener, particularly suitable for PAC fibers |
| BIBISOFT ACR/K | Base for cationic softener with high substantivity, suitable for all fibers |
| BIBISOFT ACR/K 14 | General-purpose softener, particularly suitable for PAC fibers |
| BIBISOFT AO | Softener for all fibers, with antiozonant properties |
| BIBISOFT AT 20 | Pseudo-cationic softener for all fibers, virtually no yellowing |
| BIBISOFT AT CONC | Pseudo-cationic softener for all fibers, virtually no yellowing |
| BIBISOFT AT CONC CA | Pseudo-cationic softener for all fibers, virtually no yellowing |

| BIBISOFT AT15 | Pseudo-amphoteric softener for all fibers, virtually no yellowing |
|---------------------|--|
| BIBISOFT ATE | General-purpose softener suitable for all types of fibers, particularly cellulosic fibers |
| BIBISOFT BPS | Softener for cellulosic and blended fibers to improve sewability. Specifically for Denim fabrics |
| BIBISOFT CD | Pseudo-amphoteric softener for all fibers, virtually no yellowing |
| BIBISOFT CD 20 | Non-ionic softener for all fibers, virtually no yellowing |
| BIBISOFT CD-SA PLUS | Non-ionic softener for all fibers, virtually no yellowing |
| BIBISOFT DT-G | General-purpose softener, particularly suitable for PAC fibers |
| BIBISOFT DT-M | High-quality softener with antistatic properties for all types of fibers |
| BIBISOFT E/8 | Silicone emulsion with excellent softening and lubricating properties |
| BIBISOFT E/8 CONC | Silicone emulsion with excellent softening and lubricating properties |
| BIBISOFT FC | General-purpose softener, particularly suitable for PAC fibers |
| BIBISOFT FC 18 | General-purpose softener, particularly suitable for PAC fibers |
| BIBISOFT FC/D | General-purpose softener, particularly suitable for PAC fibers |
| BIBISOFT GLE | High-quality softener for all types of fibers |
| BIBISOFT GLE/A | High-quality softener for all types of fibers |
| BIBISOFT KR | Softener for cellulosic and blended fibers |
| BIBISOFT NI 25 | Non-ionic softener for natural, synthetic, and blended fibers |
| BIBISOFT PCE | Slightly cationic softener for all fibers, improves sewability |
| BIBISOFT PEP | Polyethylene micro-emulsion for finishing all types of fibers |

| BIBISOFT PHD | Polyethylene dispersion, excellent softener and lubricant for all fibers |
|--------------------|--|
| BIBISOFT PME | Polyethylene micro-emulsion for finishing all types of fibers |
| BIBISOFT PME 40 | Polyethylene micro-emulsion for finishing all types of fibers |
| BIBISOFT PNA | General-purpose softener suitable for all types of fibers |
| BIBISOFT RC | Softener with antistatic and slippery properties for yarns |
| BIBISOFT SF 13 | General-purpose softener suitable for all types of fibers, AEEA-free |
| BIBISOFT SF30 | General-purpose softener suitable for all types of fibers, AEEA-free |
| BIBISOFT SIS | Reactive silicone amino-modified micro-emulsion |
| BIBISOFT SMU/C | Liquid softener for all types of fibers and their blends |
| BIBISOFT STAE | Weakly cationic softener and lubricant for all types of fibers |
| BIBISOFT TI 25 | High-quality softener for all types of fibers |
| MACROMONO MG 35 | Semi-permanent softener for finishing all types of fibers |
| MARK PES 30 | Softener with antistatic and slippery properties for yarns |
| MARK PES CONC | Softener, antistatic and lubricant for synthetic fibers |
| MICROMONO 209 PLUS | Amino-functional silicone softener micro-emulsion |
| MICROMONO HTC 30 | Silicone amino-modified reactive micro-emulsion |
| MICROMONO MPW | Silicone softener for all types of fibers |
| MICROMONO NMW LIQ | Silicone micro-emulsion for permanent effects on all types of fibers |
| PRODOTTO 3649 | Special finishing for cotton and blends |

| PRODOTTO GL100 | Softener, lubricant in sizing preparation, antistatic |
|-------------------|---|
| PRODOTTO GMR | Special finishing for silk |
| PRODOTTO PAEC48 | Lubricant finishing for cotton yarns and its blends with synthetics |
| STAR 093 | Hydrophilic silicone amino-functional micro-macro emulsion |
| TORSOFT 17 | Cationic softener for all types of fibers |
| TORSOFT 50/P | Specific softener for cotton and natural fibers |
| TORSOFT 50/P PLUS | Specific softener for cotton and natural fibers |
| WIMAR BH COLORA | Weakly cationic softener for all types of fibers |

Bases for Fabric Softeners

| ITEM | DESCRIPTION |
|-------------|--|
| BASE ACR/K | Base for cationic softener with high substantivity suitable for all fibers |
| BASE AF | Base for softener, particularly for cellulosic fibers, provides a fluffy and smooth feel |
| BASE AT | Base for softener for natural and blended fibers, with good antistatic effect |
| BASE DEA | Base for softener for natural and blended fibers, with good antistatic effect |
| BASE DEA/OL | Hand modifier for leather |
| BASE DES | Non-ionic hand modifier |
| BASE DT | Base for cationic softener with high substantivity suitable for all fibers |
| BASE GR | Base for softener for all types of fibers, soluble in cold water |

Mold Inhibitors

| ITEM | DESCRIPTION |
|----------------|---|
| ANTIMUFFA | General-purpose antimildew-antifermentation agent |
| ANTIMUFFA CONC | General-purpose antimildew-antifermentation agent |

Antifoaming Agents

| ITEM | DESCRIPTION |
|------------------|---------------------------------------|
| ANTISCHIUMA 222 | High-yield silicone antifoam |
| ANTISCHIUMA 4411 | General-purpose silicone antifoam |
| ANTISCHIUMA 4411 | General-purpose silicone antifoam |
| ANTISCHIUMA FRS | General-purpose silicone antifoam |
| ANTISCHIUMA PANZ | General-purpose silicone antifoam |
| PRODOTTO 103 LIQ | General-purpose non-silicone antifoam |

Anti-redeposition Agents

| ITEM | DESCRIPTION |
|----------------|---|
| ANTIPIEGA CS | Specific auxiliary to prevent the formation of creases and packing |
| PRODOTTO NY 50 | Antibacking dispersing agent for nylon dyeing and its blends with cellulosic fibers |
| STAR 114 | Specific auxiliary to prevent the formation of creases and packing |

Detergents

| ITEM | DESCRIPTION |
|-------------------|--|
| BERLIN K20 | Discharge auxiliary for dyeing with vat, sulfur, and direct dyes |
| BIBISOLVE LK | Cleaner for printing frames and cylinders |
| BIPON ARP | Cleaner for cellulose-based fibers |
| BIPON LR | Product for cleaning dyeing machines |
| BIPON LRC | Product for cleaning dyeing machines |
| BIPON LY/S | Detergent, impregnating agent for silicone oils, finishing, and spinning oils, biodegradable |
| BIPON WM | General-purpose textile detergent |
| DERMO RN | Leather detergent |
| NETZMITTEL CS 29 | Low-foaming detergent, impregnating agent for cotton and blends |
| PRINT 54 | Surfactant suitable for washing after dyeing with reactive dyes |
| PRODOTTO 195 LC/G | Concentrated detergent to remove spinning oils and oil and grease stains |
| PRODOTTO 195/L | Concentrated detergent to remove spinning oils and oil and grease stains |
| PRODOTTO 25 | Saponifier for reactive dyes |
| PRODOTTO 505 SF | Detergent, emulsifying, impregnating agent with foam control for universal use |
| PRODOTTO 50796 | Detergent for washing wool tops and silk |
| PRODOTTO 78/S | Impregnating detergent for purging and continuous bleaching treatments |
| PRODOTTO NAC 50 | Neutralization auxiliary |

| WIPON GR/458 P | Detergent, emulsifying agent with foam control for universal use |
|----------------|---|
| WOFF NLT | Specific auxiliary in the purging and bleaching treatment of cellulosic fiber fabrics |

Dispersing Agents

| ITEM | DESCRIPTION |
|-----------------|--|
| BASE 50M | General-purpose dispersing agent |
| BERLIN DIF | Dispersing, leveling agent for polyester dyeing |
| BERLIN K30 | Dispersing, leveling agent for polyester dyeing |
| BERLIN OR | Dispersing agent for polyester dyeing |
| BIPON ABS PLUS | Dispersing detergent for dyed packaged goods treatments |
| BIPON FFU | Deaerating and penetration accelerator with antifoaming properties |
| BIPON JET | Deaerating and penetration accelerator with antifoaming properties |
| BIPON SC-L | Dispersing, detergent, emulsifying agent for general use |
| POLIAC 195/CONC | Dispersing – complexing agent for cotton dyeing processes and its blends |
| POLIAC 25 | Dispersing-saponifying agent for dyeing with vat and reactive dyes |
| POLIAC DS | Dispersing – complexing agent for cotton dyeing processes and its blends |
| POLIAC GLI | High-biodegradable sequestrant dispersing agent |
| PRODOTTO 002 | Impregnating dispersing agent with foam control |
| PRODOTTO ACW | Sequestrant dispersing agent for acid purging of natural fibers |
| PRODOTTO IGG 70 | Sequestrant dispersing agent for polyester and cotton fabric dyeing |
| PRODOTTO OBB | Oxidizing and dispersing agent for vat dyes |
| PRODOTTO PFA | Dispersing agent for dyeing |

| PRODOTTO RAP | Dispersing agent for polyester fabric dyeing |
|--------------|--|
| PRODOTTO RO | Dispersing agent for reduction baths |
| PRODOTTO SL | Solubilizing, migrating, dispersing agent for basic, plastisol-soluble, and metal-complex dyes |
| PRODOTTO X-D | Dispersing-levelling agent for dyeing with indanthrene dyes |
| WOFF IWL 30 | Solubilizing, migrating, dispersing agent for basic, plastisol-soluble, and metal-complex dyes |
| WOFF IWL 40 | Solubilizing, migrating, dispersing agent for basic, plastisol-soluble, and metal-complex dyes |
| WOFF M | Deaerating-impregnating agent |
| WOFF WS/P | Dispersing agent for dyeing with vat and disperse dyes |

Fixatives

| ITEM | DESCRIPTION |
|-------------|---|
| BIFIX LU | Formaldehyde-free fixer for direct and reactive dyes on cellulosic fibers |
| BIFIX R/100 | Fixer for direct and reactive dyes |
| BIFIX S/60 | Fixer for improving wet fastness of polyamide and its blends |
| BIFIX S/80 | Fixer for improving wet fastness of polyamide and its blends |

Wetting Agents

| ITEM | DESCRIPTION |
|--------------------|---|
| BIPON OC | Impregnating detergent with low foam formation for all types of fibers |
| BIPON BG | Impregnating dispersant with low foam formation |
| BIPON DOS | Impregnating dispersant for all types of fibers |
| IMBI MRN | Impregnating, detergent for all types of fibers |
| IMBIBENTE NF liq | Impregnating deaerating agent for dyeing cellulosic fibers and their blends, especially for wrapped goods |
| IMBIBENTE OP | Impregnating-detergent with foam control for Jet machines and strong turbulence |
| MARK TRZ | Inhibitor of metal component response during garment processes |
| PRODOTTO LO | Impregnating detergent with low foam formation |
| PRODOTTO MN LIQ | Reduction inhibitor, oxidizing agent for printing |
| PRODOTTO MN LIQ 20 | Reduction inhibitor, oxidizing agent for printing |
| PRODOTTO RK | Impregnating detergent with low foam formation |
| PRODOTTO SC | Impregnating detergent with foam control for Jet machines and strong turbulence |

Thread Lubricants

| ITEM | DESCRIPTION |
|--------------|--|
| BIBISOFT LUB | Non-ionic lubricant for improving sewability of all fiber types |
| BOROVOL 200 | Plasticizer for natural or modified starches used in yarn sizing |
| CERA BS2 | Lubricant and antistatic agent for natural, animal yarns and their blends |
| CERA JR | Lubricant and antistatic agent for natural, animal yarns and their blends |
| PRODOTTO GL | Lubricating product used in the preparation of sizings and in the lubrication of natural fiber yarns |

Sequestering Agents

| ITEM | DESCRIPTION |
|----------------------|---|
| PRODOTT ALL IN | Unique product for purging and bleaching |
| PRODOTTO XCW NEW-LIQ | Saponifier for reactive and direct dyes |
| SEQUESTRANTE M500 | Sequestrant for calcium, magnesium, and iron with excellent dispersing properties |
| YDRO 54 | General-purpose sequestrant with dispersing properties |

Resins

| ITEM | DESCRIPTION |
|----------------------|--|
| SMARTREPEL HYDRO CMD | Fluoro-free water-repellent oil |
| PRODOTTO L70 | Product with high moisture absorption capacity |
| APPRETTO TM 100% | Soft hand acrylic resin with permanent effect |
| BINDER SF | Soft hand acrylic resin with permanent effect |
| STAR 025 | Polyester resin for finishing |
| PRODOTTO RPU | Hydrophilic thermosetting polyurethane resin |
| APPRETTO LMT SPECIAL | Polyvinyl resin in aqueous dispersion |

Buffering Agents

| ITEM | DESCRIPTION |
|----------------|--|
| OXISTAB OS | Stabilizer for hydrogen peroxide in alkaline bleaching baths |
| BI-ACID PB LIQ | Acidic buffer for polyester dyeing |
| BI-ACID PSD | Acid buffer |

Leveling Agents

| ITEM | DESCRIPTION |
|-----------------|--|
| BERLIN KNS 17 | Leveling and leveling agent for direct and vat dyes |
| BERLIN KNS CONC | Leveling and leveling agent for direct and vat dyes |
| BERLIN NEW/NL | Leveling agent with affinity for polyamide dyeing |
| BERLIN SET | Leveling agent – leveling agent for wool and blends with silk dyeing |
| BERLIN UN/EC | Leveling agent with affinity for polyamide dyeing |
| NICHEGAL PA 25% | Leveling agent with retarding properties for polyamide dyeing and its blends |
| WOFF RLN/150 | Retardant for wool/nylon dyeing with acid dyes |

Other Products

| ITEM | DESCRIPTION |
|-------------------|--|
| AUCOTAN LR16 | Auxiliary for leather |
| ANTISTATICO E | Antistatic for synthetic fibers and blends with cellulosic fibers |
| BIBASIC | Alkalizing agent for dyeing baths |
| BICAR BBC | Ecological carrier for low-temperature PES dyeing |
| BLANC 101 | Liquid optical brightener with blue flame for cellulosic fibers suitable for bleaching with H2O2 |
| CATALIZZATORE NKN | Catalyst for melamine resins |
| DECOLORANTE | Decolorizing agent for wastewater |
| PAWA | New concept protective colloid with multiple uses |
| PRODOTTO DU2 | Special product for protonic treatment |
| PRODOTTO G 40 | Emulsifier |
| PRODOTTO L2 | Ecological liquid decolorizing agent |
| PRODOTTO P1 | Ecological powder decolorizing agent |
| PRODOTTO PR 162 | Specific product for silk processing |
| STAR 019 | Antistatic additive for improving fiber processing |

Oleochemicals

| ITEM | DESCRIPTION |
|----------------------------|---|
| VEGETOIL PH/Z LIQUIDO | Refined hydrogenated palm fat (liquid) |
| VEGETOIL PH/Z POLVERE | Refined hydrogenated palm fat (powder) |
| VEGETOIL PH/Z SCAGLIE | Refined hydrogenated palm fat (flakes) |
| VEGETOIL PH/Z LIQUIDO RSPO | Refined hydrogenated palm fat (liquid) RSPO |
| VEGETOIL PH/Z POLVERE RSPO | Refined hydrogenated palm fat (powder) RSPO |
| VEGETOIL PH/Z SCAGLIE RSPO | Refined hydrogenated palm fat (flakes) RSPO |
| VEGETOIL T2Z | α -tocopherol protected by a matrix of refined hydrogenated palm fat |
| VEGETOIL PH 10 POLV | Partially hydrogenated refined palm fat (powder) |
| VEGETOIL PH10-SCAGLIE | Partially hydrogenated refined palm fat (flakes) |